

entered

**THE FOLLOWING IS THE ENGLISH TRANSLATION OF THE
AMENDMENTS TO THE CLAIMS OF THE INTERNATIONAL
APPLICATION UNDER PCT ARTICLE 19:
AMENDED SHEETS (Pages 55-58a)**


What is claimed is:

1. (Amended)

A coating composition comprising:

5 (a) fine metal particles and/or fine metal oxide particles;


(b) at least one titanium compound selected from the group consisting of titanium alcoholates represented by the following formula (1), hydrolysates of the titanium
10 alcoholates, condensates of the titanium alcoholates, chelates of the titanium alcoholates, hydrolysates of the titanium alcoholate chelates and condensates of the titanium alcoholate chelates, and titanium acylates represented by the formula (1), hydrolysates of the titanium acylates,
15 condensates of the titanium acylates, chelates of the titanium acylates, hydrolysates of the titanium acylate chelates and condensates of the titanium acylate chelates:



wherein R^1 is an organic group of 1 to 8 carbon atoms
20 and may be the same or different from each other when plural;
 R^2 is an organic group selected from the group consisting of alkyl groups of 1 to 6 carbon atoms, acyl groups of 1 to 6 carbon atoms and phenyl group, and may be the same or different from each other when plural; and m is an integer ranging from 0 to

3; and

(c) at least one silane compound selected from the group consisting of organosilanes represented by the following formula (2) and derivatives thereof:




wherein R^3 is a monovalent organic group of 1 to 8 carbon atoms and may be the same or different from each other when plural; R^4 is an alkyl group of 1 to 5 carbon atoms or an acyl group of 1 to 6 carbon atoms, and may be the same or different
10 from each other when plural; and n is an integer ranging from 0 to 3.

2.

A coating composition comprising:

15 (a) fine metal particles and/or fine metal oxide particles;


(c) at least one silane compound selected from the group consisting of organosilanes represented by the following formula (2) and derivatives thereof:



wherein R^3 is a monovalent organic group of 1 to 8 carbon atoms and may be the same or different from each other when plural; R^4 is an alkyl group of 1 to 5 carbon atoms or an acyl group of 1 to 6 carbon atoms, and may be the same or different

from each other when plural; and n is an integer ranging from 0 to 3; and

(d) an organosiloxane oligomer that has an Si-O linkage and a weight-average molecular weight of 300 to 100,000, the
5 organosiloxane oligomer containing a structure represented by the following formula (3):




wherein R^5 and R^6 are each an alkyl group of 1 to 5 carbon atoms and may be the same or different from each other when
10 plural; R^7 is a hydrogen atom or an alkyl group of 1 to 5 carbon atoms; and p and q are numbers of which the total (p + q) should be 2 to 50.

3.

15 A coating composition comprising:

(a) fine metal particles and/or fine metal oxide particles;


(b) at least one titanium compound selected from the group consisting of titanium alcoholates represented by the
20 following formula (1), derivatives thereof, titanium acylates represented by the formula (1) and derivatives thereof:



wherein R^1 is an organic group of 1 to 8 carbon atoms and may be the same or different from each other when plural;


R^2 is an organic group selected from the group consisting of alkyl groups of 1 to 6 carbon atoms, acyl groups of 1 to 6 carbon atoms and phenyl group, and may be the same or different from each other when plural; and m is an integer ranging from 0 to 3;

(c) at least one silane compound selected from the group consisting of organosilanes represented by the following formula (2) and derivatives thereof:



wherein R^3 is a monovalent organic group of 1 to 8 carbon atoms and may be the same or different from each other when plural; R^4 is an alkyl group of 1 to 5 carbon atoms, or an acyl group of 1 to 6 carbon atoms, and may be the same or different from each other when plural; and n is an integer ranging from 0 to 3; and

(d) an organosiloxane oligomer that has an Si-O linkage and a weight-average molecular weight of 300 to 100,000, the organosiloxane oligomer containing a structure represented by the following formula (3):



wherein R^5 and R^6 are each an alkyl group of 1 to 5 carbon atoms and may be the same or different from each other when plural; R^7 is a hydrogen atom or an alkyl group of 1 to 5 carbon atoms; and p and q are numbers of which the total ($p + q$) should

58-a

be 2 to 50.

4.

The coating composition according to any one of claims
5 1 to 3, further comprising a catalyst (f).

5.

A coating film obtained from the coating composition of
any one of claims 1 to 4.